




Endeavor[®] Retro[®]



Where design enhancements
COME STANDARD

The Endeavor concept was derived to meet the demands of our customers. We have won their respect over the years with our prompt, knowledgeable and cost effective options to most of the major OEM's. Our intent was to develop a cost effective, durable laser fully manufactured in the USA using the best components, hardware and software available.

ALL ENDEAVOR RETRO LASERS
are proudly manufactured in the U.S.A.
and come with a 3 Year Warranty!



EndeaVOR[®] Retro



I.R. and U.V.


I.R. (1.064nm) and Visible (.532nm) systems are available - material/application specific.

Fiber Lasers

Endeavor RETRO MOPA Fiber lasers available in 20W, 30W, 50W, 70W, 100W & 200W Air Cooled systems, include visible "RED" laser for part alignment and pre-mark preview. All Endeavor lasers include a 3-Year Warranty (fiber laser only).

Flexible Field Sizes (IMG 01)

Variety of field sizes available including 45mm x 45mm, 100mm x 100mm, 112mm x 112mm, 205mm x 205mm & 305mm x 305mm. Custom sizes are available and easily accommodated using our industry leading Endeavor Prolase10 operating system.




Automated (Optional)

Automated motorized "JOG" Z-Axis.

Incorporating our exclusive "incremental step/delay" feature which allows the operator to move Z-Axis in 0.0005" increments for precise movements and focus. Holding the Up/Down button for the factory set duration will take the Z-Axis out of incremental movement and allow the axis to "run" at full speeds in excess of >10,000 steps per second using our proprietary NEMA 23 and NEMA 34 Servo motors and controller kit. Both the High and Low speeds are factory adjustable. The Z-Axis linear slide is a zero backlash leadscrew offering 0.00015" (4 microns) repeatability accuracy - typical and comes with two adjustable limit switches.

Endeavor[®] Retro



Cylindrical Distortion Correction Feature (IMG 02 & 03)

Our Endeavor Prolase 10 operating systems compensates for cylindrical distortion providing increased radial marking without the need for indexing or human handling.

TJS Axis Server Feature (IMG 04)

TJS Axis Server Feature provides real time position location and adjustments for all motorized axis' using our Endeavor Prolase 10 software and computer display. No need for additional , costly equipment like digital readouts or gauges.

Quick Change Beam Expander

Quick change Beam Expander design offers increased flexibility, spot size and marking field.



Remote Connectivity (IMG 05)

Remote Connectivity for programming, training and troubleshooting. External Interlock and Footswitch are included.

110VAC Accessory Power Source (IMG 06)

110VAC Accessory power source conveniently located in the workstation for fume extraction or any other use, eliminates the need for extension cables which can create a hazardous condition.

Modular Design


Modular design for simple maintenance and support.



THE REASON FOR OUR 40-YEAR SUCCESS
IS THAT WE BUILD LASER SYSTEMS
THAT DO NOT FAIL.

BOLD STATEMENT?
WE THINK SO. OUR CUSTOMERS AGREE.

EXPECT MORE.



4355 St. Johns Parkway ▼ Sanford, FL 32771
800.561.6164 ▼ www.TJSLasers.com